

macro Pipette Controller

Ideal handling

The unique valve system makes bellows compression easy. With one small sensitive lever, filling and delivery are easily controlled. Precise meniscus adjustment is effortless. A hydrophobic membrane filter protects the macro pipette controller from liquid penetration.



Economical

The silicone adapter on the macro pipette controller fits the entire range of volumetric and graduated pipettes, both glass and plastic, from 0.1 to 200 ml. There is no need for multiple instruments. The macro pipette controller is fully autoclavable at 121 °C.

Award winning design

The combination of easy-to-use controls, light weight (106 g) and relaxed operation makes the macro pipette controller ideal for repetitive pipetting even for inexperienced user.

Liquid Handling



Volumetric and measuring pipettes can be found on pages 130-138.

Ordering Data



macro Pipette Controller

Items supplied:

Each pipette controller is supplied with spare membrane filter 3 µm.

Color	Cat. No.
gray	261 00
green	261 51
blue	261 52
magenta	261 54

Spare parts for macro Pipette Controller

Description	Pack of	Cat. No.
Membrane filter 3 µm (PP, PTFE), non-sterile	1	260 52
Membrane filter 3 µm (PP, PTFE), non-sterile	10	260 56
Adapter (silicone), length 44 mm	1	261 46
Adapter support (PP), gray, length 49 mm	1	261 48
Valve system (PP, PTFE, silicone)	1	261 28
Suction bellows (silicone) with screw ring (PP)	1	260 37

Connect With Us

