

**Reliable**

Our state-of-the-art microprocessor control provides precise and accurate readings, and contributes to long-term, trouble-free operation. We are so confident in the performance of the Medi-Therm 7912 that we back it with a two year limited warranty on the machine and a five year limited prorated warranty on the compressor.

**Safe**

The Medi-Therm 7912 has dual over-temperature systems that increase patient safety.

**Effective**

Rapid thermal response speeds treatment. Medi-Therm 7912 responds rapidly to provide quick and effective therapy. Separate heating and cooling reservoirs permit fast heating and superior cooling rates to achieve the desired therapy according to your patients' needs.



**Specifications: Medi-Therm® 7912**

Dimensions:	94.0cm H x 47.6cm D x 35.6cm W
Weight:	73.9kg full, 66.2kg empty
Cabinet:	Shell 1.58mm: thick aluminum chassis; 16 Ga. Steel top; flame retardant ABS; 13cm conductive casters; downward air discharge; manual storage
Power:	ON/OFF switch w/ circuit breaker 16/3 SO power cord, 4.6m Hospital Grade plug 220-240 VAC, 6 Amps, 50 Hz 500 Watt heater 1/3 hp refrigeration system
Control:	Microprocessor Sealed front panel Self compensating temperature measurement, no periodic calibration required
Fluid System:	Distilled water, 9.5 L Separate hot and cold reservoirs Magnetically coupled pump 16 gph (60 lph) flow rate minimum with blanket
Refrigerant:	R-134a (Freon free)
Temperature	Water Range: 4°C–41°C
Control:	Patient Range: (Auto) 30°C–39°C
Warranty:	Two years limited-machine, five year limited prorated-compressor

**Ordering Information:**

Model No.	Description
<b>MTA7912</b>	Medi-Therm 7912 Hyper/Hypothermia Machine (220-240 VAC) (includes two DBK35CE Adaptor Hose (Clik-Tite® Connectors))
<b>DBK35CE</b>	Insulated Adaptor Hose 3.05m (Clik-Tite Connectors)
<b>ADP10CE</b>	Adaptor for Disposable Temperature Probe
<b>DP400CE</b>	Temperature Probe, Disposable
<b>PAT101CE</b>	Temperature Probe, Reusable, Esophageal/Rectal, Adult
<b>PAT102CE</b>	Temperature Probe, Reusable, Esophageal/Rectal, Pediatric
<b>PAT108CE</b>	Temperature Probe, Reusable, Skin Surface
<b>MTA33</b>	Germicide/Algicide

**Test Accessories:**

<b>PRK2</b>	Probe Simulator
<b>TPT9</b>	Flow Rate Meter
<b>MT590</b>	Test Tool

**Mul-T-Blankets® Provide Maximum Efficiency**

Gaymar's hyper/hypothermia blankets are available in a variety of sizes in order to meet your patients' needs. The two-sided blankets are designed for continuous single patient use.

Their clear polymer side allows for easy cleanup, while the nonwoven fabric side provides a softer, more absorbent surface.

Blankets are also available in:

- all polymer single patient use
- heavy duty reusable polymer



Unique Random Flow design allows for continuous flow and even temperature distribution.

**Blanket/Body Wrap Ordering Information:**

Model No.	Description
<b>800 Series, Single Patient Use, Lightweight Polymer with Nonwoven fabric</b>	
<b>DHP810</b>	64 x 163cm, Adult
<b>DHP812</b>	56 x 84cm, Pediatric
<b>DHP813</b>	76 x 163cm, Adult - Full Bed
<b>900 Series, Single Patient Use, All Polymer</b>	
<b>DHP901</b>	64 x 175cm, Adult
<b>DHP902</b>	64 x 84cm, Pediatric
<b>Heavy-Duty Reusable, All Polymer</b>	
<b>HP7010</b>	64 x 175cm, Adult
<b>HP7020</b>	64 x 84cm, Pediatric
<b>Rapr•Round, Single Patient Use, Lightweight Polymer with Nonwoven Fabric</b>	
<b>DHV530</b>	Vest, Chest sizes 81-117cm
<b>DHV535</b>	Vest, Chest sizes 117-137cm
<b>DHL540</b>	Leg, Right/Left, one size fits all adults

**Clik-Tite® Connectors**

Leak resistant connectors used with the 500, 800 and 900 Series, and reusable blankets. Required when blankets and body wraps are used in series



Gaymar's Medi-Therm 7912 Hyper/Hypothermia System delivers regulated cooling or warming therapy with microprocessor accuracy and reliability.

**It's the optimal choice for patient temperature regulation.**

**MEDI-THERM® 7912 Hyper/Hypothermia System**

Model Number MTA7912



Connect With Us

