#### **Specifications:** Medi-Therm<sup>®</sup> 7912

Dimensions:	94.0cm H x 47.6cm D x 35.6cm W		
Weight:	73.9kg full, 66.2kg empty		
Cabinet:	Shell 1.58mm: thick aluminum chassis; 16 Ga. Steel top; flame retardant ABS; 13cm conductive casters; downward air discharge; manual storage		
Power:	ON/OFF switch w/ circuit breaker		
	16/3 SO power cord, 4.6m		
	Hospital Grade plug		
	220-240 VAC, 6 Amps, 50 Hz		
	500 Watt heater		
	1/3 hp refrigeration system		
Control:	Microprocessor		
	Sealed front panel		
	Self compensating temperature measurement, no periodic calibration required		
Fluid System:	Distilled water, 9.5 L		
	Separate hot and cold reservoirs		
	Magnetically coupled pump 16 gph (60 lph) flow rate minimum with blanket		
Refrigerant:	R-134a (Freon free)		
Temperature	Water Range: 4°C–41°C		
Control:	Patient Range: (Auto) 30°C–39°C		
Warranty:	Two years limited-machine, five year limited prorated-compressor		

## **Ordering Information:**

Model No.	Description	
MTA7912	Medi-Therm 7912 Hyper/Hypothermia Machine (220-240 VAC)	
	(includes two DBK35CE Adaptor Hose (Clik-Tite <sup>®</sup> Connectors)	
DBK35CE	Insulated Adaptor Hose 3.05m (Clik-Tite Connectors)	
ADP10CE	Adaptor for Disposable Temperature Probe	
DP400CE	Temperature Probe, Disposable	
PAT101CE	Temperature Probe, Reusable, Esophageal/Rectal, Adult	
PAT102CE	Temperature Probe, Reusable, Esophageal/Rectal, Pediatric	
PAT108CE	Temperature Probe, Reusable, Skin Surface	
MTA33	Germicide/Algicide	
Test Accessories:		
PRK2	Probe Simulator	
ТРТ9	Flow Rate Meter	
MT590	Test Tool	

## Mul-T-Blankets<sup>®</sup> Provide **Maximum Efficiency**

Gaymar's hyper/hypothermia blankets are available in a variety of sizes in order to meet your patients' needs. The two-sided blankets are designed for continuous single patient use.

Their clear polymer side allows for easy cleanup, while the nonwoven fabric side provides a softer, more absorbent surface.

Blankets are also available in:

• all polymer single patient use • heavy duty reusable polymer

## Blanket/Body Wrap Ordering Information:

Model No.	Description		
800 Series, Single Patient Use, Lightweight Polymer with Nonwoven fabric			
DHP810	64 x 163cm, Adult		
DHP812	56 x 84cm, Pediatric		
DHP813	76 x 163cm, Adult - Full Bed		
900 Series, Single Patient Use, All Polymer			
DHP901	64 x 175cm, Adult		
DHP902	64 x 84cm, Pediatric		
Heavy-Duty Reusable, All Polymer			
HP7010	64 x 175cm, Adult		
HP7020	64 x 84cm, Pediatric		
Rapr•Round, Single Patient Use, Lightweight Polymer with Nonwoven Fabric			
DHV530	Vest, Chest sizes 81-117cm		
DHV535	Vest, Chest sizes 117-137cm		
DHL540	Leg, Right/Left, one size fits all adults		



Connect With Us f У 🖸 🚫 💶 👰 🚥

# Reliable

Our state-of-the-art microprocessor control provides precise and accurate readings, and contributes to longterm, trouble-free operation. We are so confident in the performance of the Medi-Therm 7912 that we back it with a two year limited warranty on the machine and a five year limited prorated warranty on the compressor.

## Safe

The Medi-Therm 7912 has dual over-temperature systems that increase patient safety.

# Effective

Rapid thermal response speeds treatment. Medi-Therm 7912 responds rapidly to provide quick and effective therapy. Separate heating and cooling reservoirs permit fast heating and superior cooling rates to achieve the desired therapy according to your patients' needs.





Unique Random Flow design allows for continuous flow and even temperature distribution.



**Clik-Tite® Connectors** Leak resistant connectors used with the 500, 800 and 900 Series, and reusable blankets. Required when blankets and

body wraps are used in series





Gaymar's Medi-Therm 7912 Hyper/ Hypothermia System delivers regulated cooling or warming therapy with microprocessor accuracy and reliability.

It's the optimal choice for patient temperature regulation.

# MEDI-THERM<sup>®</sup> 7912 Hyper/Hypothermia System

Model Number MTA7912



